3M

Technical Data Sheet

Effective: 18/08/2020 Supersedes: 20/01/1999

Automotive Aftermarket Division

3M™ 08984 Adhesive Cleaner

1) Part Numbers

08984 : 1 litre metallic can with pouring system

2) Description and end uses

- To remove adhesive, silicone polish, wax, tears, oil, etc.
- As thinner for some adhesives

Major product features:

- Can be used on all surfaces
- General purpose cleaner
- Will not harm dry paint
- · Dry wiping not needed
- Slow drying properties allows efficient cleaning on all adhesives build up
- Clean work because of the plastic dispensing system, which avoids waste.

3) Physical Properties

Base	Mixture of petroleum distillates - Liquid	
Colour	Transparent	
Storage conditions	Cool dry place. Best results are obtained when material is stored and applied at room temperature, 15 to 30°C. Storage temperature must not exceed 50°C.	
Shelf life	4 years from date of manufacture under normal storage conditions.	

4) Directions for Use

- To open: Put finger through the ring and pull to remove.
- Apply the required quantity on a clean rag by using the special plastic pourer, and wipe off area.

Caution:

- Don't use any cleaner on fresh or uncured paint
- Flammable product



Technical Data Sheet

Effective: 18/08/2020 Supersedes: 20/01/1999

5) Storage

Store at room temperature in flammables storage area. Rotate stock on a "first-in-first-out" basis. When stored at the recommended conditions in original, unopened containers, this product has a shelf life see container for details. Use in a well-ventilated area.

6) Safety

Please refer to the Material Safety Data Sheet or contact your local 3M™ Toxicology Department.

3M™ 08984 Adhesive Cleaner is designed FOR PROFESSIONAL USE ONLY.

7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent misrepresentation, 3M expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.



Technical Data Sheet

Effective: 18/08/2020 Supersedes: 20/01/1999

For Additional Health and Safety Information

3M United Kingdom plc	3M Ireland Limited	3M Denmark a/s
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
3M Centre,	The Iveagh Building	Hannemanns Allé 53
Cain Road,	Carrickmines Park	2300 København S
Bracknell,	Carrickmines , Dublin 18	
RG12 8HT	Tel: +353 12160301	
Tel: +44 (0)161 237 6391	aadukenquiries@mmm.com	Tel: +45 43480100
aadukenquiries@mmm.com	www.3Mbodyshop.co.uk	aadukenquiries@mmm.com
www.3Mbodyshop.co.uk		www.3MAuto.dk
3M Finland, Suomen 3M Oy	3M Svenska AB	3M Norge AS
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
Keilaranta 6	Herrjärva torg 4	Kanalveien 2
02150 Espoo	170 67 Solna	2004 Lillestrøm
Tel: 09 5252 1	Tel: 08-922100	Tel: 06384
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3M.fi/autotuotteet	www.3M.se/bileftermarkad	www.3m.no/auto
3M Latvija	3M Eesti OU	3M Lietuva
K.Ulmana 5	Pärnu mnt. 158	A.Goštauto str. 40 A
Riga, LV-1004	11317 Tallinn	LT-01112 Vilnius
Tel: +371 67066120	Tel: +372 6 115 902	Tel: +370 5 2160780
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3m.lv	www.3m.ee	www.3m.lt

^{© 3}M 2020. 3M is a trademark of the 3M company. All rights reserved