EZ-COLOR[®] | CUT VINY



VINYI

Polymeric cut vinyls with a high tack permanent adhesive and air-egress liner. Thanks to the unique combination of the high tack adhesive with air-egress liner, EZ-Color[®] ensures easy, dry application on a wide variety of substrates.

EZ-Color®

Soft in nature, EZ-Color® calendered opaque vinyls are films with excellent dimensional stability, suitable for flat, slightly curved and mildly textured surfaces

Effortless cutting and weeding

Easy to dry-apply

Adheres to difficult surfaces*

High opacity

Rolls of 1220mm x 45,7m

Outdoor durability up to 6 years

For ease of installation, apply EZ-Color[®] cut vinyl with RTape Conform[®] 4761RLA application tape for air-egress liners

* On hard-to-adhere surfaces, we recommend a test to confirm that the vinyl will bond before full application.

Applications

Indoor and outdoor lettering
Industrial markings
Fleet markings
Wall decorations & decals
Window signage
Event signage
P.O.P. signage
In-Store promotions
Safety signage

Represented in EMEA by The iC Group +32 9 216 67 00 | order@theicgroup.eu

> f⊙yin‱? 10.22 | M1198-EU





NEKOOSA.EU

PRODUCT OVERVIEW >

GLOSS



Colour	SKU #	Size
Gloss		
Black	EC3745-48150	1220mm x 45,7m
White	EC3281-48150	1220mm x 45,7m
Blue	EC7112-48150	1220mm x 45,7m
Medium Green	EC2235-48150	1220mm x 45,7m
Cardinal Red	EC2472-48150	1220mm x 45,7m
Orange	EC5555-48150	1220mm x 45,7m
Medium Grey	EC9944-48150	1220mm x 45,7m
Dark Grey	EC1270-48150	1220mm x 45,7m
Sunflower Yellow	EC4267-48150	1220mm x 45,7m
Bright Yellow	EC3048-48150	1220mm x 45,7m

Colour	SKU #	Size
Matt		
Black	EC9284-48150	1220mm x 45,7m
White	EC1955-48150	1220mm x 45,7m
Medium Blue	EC7288-48150	1220mm x 45,7m
Medium Green	EC1295-48150	1220mm x 45,7m
Cardinal Red	EC9882-48150	1220mm x 45,7m
Orange	EC7422-48150	1220mm x 45,7m
Medium Grey	EC1024-48150	1220mm x 45,7m
Silver	EC1982-48150	1220mm x 45,7m
Sunflower Yellow	EC1986-48150	1220mm x 45,7m
Gold	EC3477-48150	1220mm x 45,7m



Represented in EMEA by The iC Group +32 9 216 67 00 | order@theicgroup.eu



NEKOOSA.EU



EZ-Color® is a high-end multipurpose cut vinyl, not only suitable for standard markings on windows and vehicles, but also for interior wall decoration and industrial signage.

TECHNICAL DATA Physical Properties

Film			Polymeric calendared vinyl
	Adhesive		High tack permanent acrylic
Liner Opacity			165gsm kraft air Egress
			92% min
	Thickness	Film	75 micron
	THICKNESS	Film + adhesive	100 micron
A dh a a' a	Adhesion	Stainless steel - 20min	20 N/25mm
	Adhesion	Stainless steel - 24hrs	24 N/25mm
-	Wataba	Film + Adhesive	125-130 gsm
	Weight	Total w/Liner	280-290 gsm

Conditions for use	
Shelf Life*	1 year
Outdoor Durability**	Up to 6 years
Min Application Temp	+2°C
Service Temp	-24°C to +60°C
Solvent Resistance***	Good for most petroleum-based solvents and lower alipathic alcohols. For ultimate solvent resistance, edge sealing is recommended.
Water Resistance	Excellent

* Stored at 22°C /50-55%RH **Mid continental U.S. vertical *** For ultimate solvent resistance, edge sealing is recommended.

NEKOOSA

Represented in EMEA by The iC Group +32 9 216 67 00 | order@theicgroup.eu